Qualitative Research in Early Childhood Education
E-ISSN: 3123-9897
https://journals-arendra.or.id/rumahjurnal/index.php/QR-ECE
Page 162-181
Vol. 1 No. 3

The Importance of Balanced Nutrition in Early Childhood and Its Development Programs

Fatimah Zahra Isnaini*[1], Mariana Jelina[1], Deden Zaenal Mutakin[2], Nuril Imamah[1]

[1] Universitas Panca Sakti Bekasi, Indonesia
[2] Universitas Indraprasta PGRI Jakarta, Indonesia

ARTICLE INFO

Article History
Submitted:
May 9, 2026
Revised:
May 20, 2026
Accepted:
May 25, 2026

Keywords
balanced nutrition, early childhood, cognitive development, stunting, nutritional literacy, nutrition development program, holistic collaboration.

Scan Me:

ABSTRACT

Early Childhood is a critical "golden period" or window of opportunity, during which balanced nutrition serves as a fundamental foundation for optimizing physical growth, cognitive development, and strengthening the immune system. Chronic malnutrition, such as Stunting, during this stage can lead to permanent damage to brain structure and function, significantly reducing children's intellectual potential and learning abilities. Although the importance of nutrition has been widely recognized, the implementation of balanced nutrition in Indonesia still faces multidimensional challenges, particularly due to low nutritional literacy among parents and the lack of structured and integrated nutrition programs in early childhood education institutions. This study aims to analyze the urgency of balanced nutrition and formulate an applicable development program framework to address these challenges. To overcome these barriers, a shift is needed from curative interventions toward a more promotive and preventive approach through an Integrated Balanced Nutrition Development Program. This program is recommended to be designed based on three main pillars: (1) Interactive Nutrition Education for children and parents, including training on My Plate and responsive feeding; (2) Specific Nutrition Interventions through the utilization of local food resources; and (3) Holistic Collaboration among early childhood education institutions as centers for habit formation, families as facilitators, and healthcare professionals for monitoring and intervention. In conclusion, achieving balanced nutrition requires multisectoral collaboration and community empowerment-based programs to create a sustainable optimal nutritional environment for young children.

This is an open access article under the CC-BY license.

Corresponding author: **Fatimah Zahra Isnaini**, Universitas Panca Sakti Bekasi, Indonesia
Email: fatimahzahraisnaini@gmail.com

Doi: https://doi.org/10.66291/qr-ece.v1i2.13

1. INTRODUCTION

Early childhood is one of the greatest investments for a nation. This stage is recognized as a critical period or *window of opportunity*, as it is the time when brain cell development reaches its peak and physical growth occurs rapidly. The quality of nutritional intake received by children during this period determines their future health, intelligence, and productivity (Utami et al., 2025). However, nutritional problems among young children, such as malnutrition, Stunting, and anemia, remain major public health challenges in Indonesia. Data indicate that stunting cases still require serious attention. These problems are caused not only by economic factors but also by parents' limited knowledge of balanced nutrition and appropriate parenting practices. Therefore, ensuring optimal and balanced nutrition, as well as developing integrated nutrition programs, is highly urgent and necessary (Azizah, 2025b).

Balanced nutrition for early childhood is defined as a daily dietary composition containing nutrients in types and amounts appropriate to children's physiological needs, while also considering the principles of dietary diversity, physical activity, healthy living behaviors, and regular weight monitoring.

The importance of balanced nutrition in early childhood can be viewed from three main aspects:

1. Physical and Brain Development
   Adequate nutritional intake, especially protein as a building nutrient, as well as vitamins and minerals as regulatory nutrients, is essential for the development of the nervous system and the brain. Nutritional deficiencies, particularly during the first 1.000 days of life, may inhibit physical growth (such as stunting or chronic malnutrition) and cause permanent effects on brain structure and cognitive function, leading to reduced learning ability and intellectual capacity later in life.
2. Health and Immunity
   Macronutrients and micronutrients play a vital role in building and maintaining the immune system. Children who receive balanced nutrition tend to have stronger immunity, making them less vulnerable to illness and better able to participate actively in learning activities without health-related disruptions.
3. Healthy Eating Behavior
   Early childhood is the ideal stage for establishing healthy eating habits and hygienic living behaviors. Nutrition education integrated during this period helps shape children's positive attitudes toward nutritious food, which may continue into adulthood (Tsani et al., 2022).

Although the importance of nutrition has been widely recognized, achieving balanced nutrition for young children in Indonesia still faces various multidimensional challenges. National data show that malnutrition, especially stunting, remains at a level that requires serious intervention. The main challenges include:

1. Low Nutritional Literacy Among Parents
   The level of parents' knowledge and skills, particularly mothers, in selecting, preparing, and serving balanced meals often becomes a major barrier. Many parents still misunderstand the *My Plate* concept (*Isi Piringku*) appropriate for early childhood needs, resulting in imbalanced nutritional intake in terms of both macronutrients and micronutrients.
2. Unsupportive Parenting Practices and Environment
   Non-material factors such as parenting styles, family eating habits, and the role of parents as motivators and facilitators significantly influence children's acceptance of healthy food. Early Childhood Education institutions (ECE/PAUD) also play an important role as places for

establishing healthy nutrition habits. However, many institutions still lack structured and well-integrated nutrition programs.

3. Effectiveness of Existing Interventions
   Evaluations of nutritional intervention programs, such as Supplementary Feeding Programs (PMT) at community health posts or schools, show that although these programs have positive impacts, their sustainability and active collaboration between schools and parents still need to be strengthened in order to achieve optimal results (Hambali et al., 2021).

Therefore, a paradigm shift is needed—from merely handling cases through curative approaches toward more promotive and preventive strategies through well-planned and comprehensive Balanced Nutrition Development Programs. These programs should not only focus on food provision but also include education, behavior formation, and environmental support.

2. LITERATURE REVIEW

2.1 Balanced Nutrition and Early Childhood Development

Early childhood, generally defined as the developmental period from birth to six years of age, is universally recognized as one of the most critical stages in human development. During this period, children undergo rapid and significant growth across multiple developmental domains, including physical, cognitive, emotional, social, and language development (Romdhoningsih et al., 2025). Developmental scholars often refer to this phase as the *golden age* or *window of opportunity* because the experiences, stimulation, and environmental conditions children receive during these years have long-lasting effects on their future potential. Unlike later developmental stages, early childhood is characterized by a high degree of neuroplasticity, meaning that the brain is highly responsive to both positive and negative environmental influences (Widaryanti, 2022). As a result, adequate nutrition, quality caregiving, and supportive learning environments become essential components in ensuring optimal development. One of the most remarkable characteristics of early childhood is the rapid growth of the brain. Scientific evidence suggests that approximately 80 to 90 percent of brain development occurs before a child reaches six years of age. During this period, billions of neural connections are formed, strengthened, and organized in response to environmental stimulation and biological support (Koesmadi et al., 2022). The development of neural pathways related to memory, language, problem-solving, emotional regulation, and social interaction depends heavily on the availability of adequate nutrients. If nutritional intake is insufficient during this sensitive period, brain development may be disrupted, leading to long-term consequences that can affect academic performance, emotional stability, and social competence (Samta et al., 2024).

In this context, balanced nutrition plays a central role in supporting the developmental processes of young children. Balanced nutrition is not simply about ensuring that children eat enough food to satisfy hunger. Rather, it refers to the provision of essential nutrients—both macronutrients and micronutrients—in quantities and proportions appropriate to the child's age, physiological condition, and developmental needs. Macronutrients include carbohydrates, proteins, and fats, which serve as primary sources of energy and structural components for body tissues. Micronutrients include vitamins and minerals, which regulate various metabolic processes, support immune function, and contribute to organ development. Water, fiber, and other dietary components also contribute to maintaining overall health and bodily functions (ST et al., 2025).

Carbohydrates serve as the main source of energy for young children, who typically engage in high levels of physical activity and continuous cognitive processing. Since the brain primarily uses glucose as its main energy source, adequate carbohydrate intake is necessary to maintain concentration,

attention, and mental performance. Protein, on the other hand, functions as the building block for body tissues, muscles, hormones, enzymes, and neurotransmitters (Anggreni et al., 2022). In early childhood, protein is especially important because it supports both physical growth and the development of brain cells. Animal-based protein sources, such as eggs, fish, milk, and lean meat, are particularly beneficial because they contain complete essential amino acids required for growth and development. Fats are also critical during early childhood, especially essential fatty acids such as omega-3 and omega-6. These nutrients contribute significantly to brain development, particularly in the formation of myelin, which helps nerve cells transmit information efficiently. Docosahexaenoic acid (DHA), one of the major omega-3 fatty acids, is known to support visual development, memory, and cognitive performance. A deficiency in healthy fats during early childhood may negatively affect learning abilities and neural development (Kurniawaty, 2022).

Micronutrients are equally important in supporting healthy development. Iron, for example, is essential for oxygen transportation and energy metabolism in the brain. Iron deficiency during early childhood may lead to fatigue, poor concentration, reduced learning ability, and delayed cognitive development. Iodine is another crucial nutrient because it supports thyroid hormone production, which regulates brain growth and neurological development (Husnaeni et al., 2024). Zinc contributes to immune system function, wound healing, cell division, and cognitive performance. Calcium and Vitamin D support bone growth, teeth formation, and muscular function, while Vitamins A, C, and E strengthen immunity and act as antioxidants that protect cells from damage. Numerous studies have demonstrated that nutritional adequacy during early childhood significantly affects long-term developmental outcomes. Children who receive balanced and sufficient nutrition tend to achieve better physical growth indicators, such as appropriate height and weight for age, compared with children experiencing nutritional deficiencies. Beyond physical development, adequate nutrition also supports cognitive achievements. Well-nourished children often demonstrate stronger memory retention, better language acquisition, improved attention span, and greater readiness for formal education (Nurhayati et al., 2024).

According to the World Health Organization, inadequate nutrition during early childhood can lead to growth faltering, weakened immunity, delayed cognitive development, and increased susceptibility to infectious diseases. Malnutrition remains a major public health concern in many developing countries, including Indonesia. Nutritional problems such as undernutrition, micronutrient deficiencies, wasting, and Stunting continue to affect millions of children worldwide (Jannah et al., 2025).

Stunting, in particular, has received significant global attention because of its long-term developmental consequences. Stunting occurs when children experience chronic nutritional deficiencies over an extended period, resulting in impaired linear growth. Stunted children are shorter than their peers of the same age, but the consequences extend far beyond physical appearance (Malaikosa et al., 2025). Chronic undernutrition during the early years may permanently affect brain structure, cognitive performance, and future productivity. Studies have shown that stunted children often perform worse academically, have lower earning potential in adulthood, and face increased risks of chronic health problems later in life (Najla et al., 2025). Another serious nutritional issue is iron deficiency anemia, which commonly affects young children. Anemia reduces the oxygen supply to body tissues, including the brain, leading to decreased energy, poor attention, irritability, and slower learning progress. Children with anemia often experience developmental delays and reduced participation in educational activities. This highlights the importance of early nutritional screening and preventive interventions (Solihat & Yulianty, 2025).

Nutrition also plays a vital role in strengthening the immune system. Young children are naturally vulnerable to infections because their immune systems are still developing. Adequate intake of vitamins, minerals, and proteins helps strengthen immune defenses and supports faster recovery

from illness. Children with balanced nutritional status tend to experience fewer illnesses, which allows them to participate more consistently in learning, play, and social interaction (Yuniar, 2022). Conversely, children with poor nutritional status often experience repeated infections, creating a harmful cycle in which illness reduces appetite and nutrient absorption, further worsening malnutrition. The family environment, particularly parental knowledge and feeding practices, strongly influences children's nutritional outcomes. Parents serve as the primary decision-makers regarding food selection, meal preparation, and feeding routines. Nutritional literacy among parents is therefore a key determinant of child health. Parents who understand balanced nutrition are more likely to provide diverse, nutritious meals and establish healthy eating habits. However, many families still face challenges related to limited nutritional knowledge, economic constraints, cultural food practices, and children's food preferences (Hardiyanti, 2022).

In addition to families, early childhood education institutions also play an important role in promoting balanced nutrition. Schools and childcare centers provide opportunities to introduce healthy eating behaviors, nutrition education, and regular growth monitoring. Nutrition-related activities such as storytelling, food games, gardening, and meal-sharing can positively influence children's attitudes toward healthy food choices (Rafi'y et al., 2025). When schools collaborate with parents and healthcare professionals, nutrition programs become more effective and sustainable. In conclusion, balanced nutrition is a fundamental pillar of early childhood development. It supports not only physical growth but also cognitive functioning, emotional stability, immune system strength, and educational readiness. Since early childhood represents a sensitive and formative period, ensuring adequate nutritional intake during these years is essential for building a healthy, intelligent, and productive future generation. Therefore, promoting balanced nutrition requires integrated efforts involving families, educational institutions, healthcare providers, and communities to create supportive environments where every child can reach their full developmental potential (Batuul et al., 2025).

2.2 The Role of Nutrition in Brain Development and Cognitive Function

One of the most significant contributions of balanced nutrition during early childhood is its essential role in brain formation and cognitive development. Brain development begins as early as the prenatal period and continues rapidly throughout infancy and early childhood. This developmental stage is considered highly sensitive because the human brain undergoes extraordinary structural and functional changes (Hasibuan et al., 2025). During the first years of life, billions of neurons are formed, and neural networks begin to develop through processes such as synaptogenesis, myelination, and neural pruning. These biological processes allow the brain to process information, regulate emotions, control movement, and support learning. Since these neurological changes occur at a very rapid rate, the developing brain requires consistent and adequate nutritional support to function optimally (Maryumi et al., 2022).

During pregnancy, maternal nutritional status significantly influences fetal brain development. Nutrients consumed by the mother provide the biological foundation for the formation of the fetal nervous system. After birth, nutritional intake continues to play a vital role in supporting the maturation of brain structures and the strengthening of neural connections. Inadequate nutrition during this critical developmental window may disrupt normal brain development and create long-term cognitive consequences (Faridah et al., 2023).

Macronutrients, particularly protein, play a fundamental role in brain cell formation and neurotransmitter synthesis. Protein supplies essential amino acids that are required for building neural tissues, repairing damaged cells, and supporting communication between neurons. Neurotransmitters, which are chemical messengers in the brain, depend on amino acids for their production. These neurotransmitters regulate important cognitive functions such as attention, memory, motivation,

emotional regulation, and learning capacity. Animal-based protein sources, including eggs, fish, milk, poultry, and lean meat, are often considered highly beneficial because they contain complete essential amino acids needed for optimal neurological development (Wahyuseptiana et al., 2024). Children who receive sufficient protein intake tend to demonstrate better concentration, faster information processing, and stronger learning motivation.

Healthy fats are also critical for brain development. The brain is composed largely of fat, making essential fatty acids particularly important during early childhood. Nutrients such as docosahexaenoic acid (DHA) and arachidonic acid (ARA) contribute to the formation of brain cell membranes and support myelination, a process in which nerve fibers are covered by protective layers that improve signal transmission (Nurmadilla, 2025). Adequate intake of these fatty acids supports visual development, cognitive flexibility, and memory formation. In addition to macronutrients, micronutrients play equally important roles in supporting brain growth and cognitive functioning. Iron is one of the most essential minerals for early brain development because it supports oxygen transportation to brain tissues and contributes to energy metabolism. Since the brain requires a continuous oxygen supply for cognitive activity, iron deficiency may lead to fatigue, poor concentration, irritability, and slower learning progress. Iron deficiency during early childhood has been strongly associated with delayed cognitive and language development (Kotrunnada et al., 2022).

Iodine is another critical micronutrient that supports thyroid hormone production, which regulates brain growth, neural differentiation, and cognitive maturation. Iodine deficiency during early childhood may result in intellectual impairment, reduced learning ability, and developmental delays. Zinc also plays an essential role in cellular growth, DNA synthesis, immune function, and cognitive processing. Zinc supports memory, attention span, and problem-solving skills, all of which are necessary for successful early learning experiences. Deficiencies in these nutrients during early childhood may lead to impaired cognitive functioning, learning difficulties, reduced concentration, behavioral problems, and delayed language acquisition. Chronic nutritional deficiencies may also permanently alter brain architecture by reducing neural connectivity and limiting synaptic efficiency. These structural changes can negatively affect academic achievement, emotional regulation, and future productivity (Leda et al., 2022).

Numerous studies indicate that children with adequate nutritional status consistently perform better in language acquisition, memory tasks, problem-solving activities, executive functioning, and school readiness. They often demonstrate stronger curiosity, better social interaction, and higher levels of confidence during learning activities. Conversely, children who experience chronic undernutrition may face lifelong developmental disadvantages. Therefore, ensuring balanced nutrition during early childhood is not only important for physical growth but also for maximizing cognitive potential and building a strong foundation for lifelong learning and human development (Munir et al., 2023).

2.3 Malnutrition and Its Consequences in Early Childhood

Malnutrition remains one of the most serious public health challenges affecting children worldwide, including in Indonesia. Despite improvements in healthcare systems, nutritional interventions, and public awareness campaigns, many children continue to experience various forms of malnutrition during their most critical developmental years. Malnutrition does not only refer to insufficient food intake, but also includes imbalances in nutrient consumption, poor dietary quality, and deficiencies in essential vitamins and minerals (Azizah, 2025a). In early childhood, malnutrition can manifest in several forms, including undernutrition, micronutrient deficiencies, wasting, and Stunting. Each of these conditions poses serious threats to children's physical growth, cognitive development, immune function, and long-term quality of life.

One of the most concerning forms of malnutrition is stunting. Stunting is a chronic condition characterized by impaired linear growth resulting from prolonged nutritional deficiencies, repeated infections, and inadequate health care (Windarti et al., 2025). Children who are stunted are shorter than expected for their age based on international growth standards. However, the impact of stunting extends far beyond physical appearance. Stunting reflects long-term biological deprivation that affects multiple aspects of child development. Numerous studies have shown that stunted children are more likely to experience delayed cognitive development, poor language acquisition, reduced concentration, and lower academic performance compared with children who have normal growth patterns. These developmental limitations often continue into adolescence and adulthood, affecting educational achievement, employment opportunities, and economic productivity (Zuhana et al., 2021).

Furthermore, stunting has intergenerational consequences. Adults who experienced stunting in childhood are more likely to have lower incomes, poorer health status, and increased risks of chronic diseases such as diabetes, hypertension, and cardiovascular disorders later in life. Women who were stunted during childhood may also face higher risks of giving birth to low-birth-weight infants, perpetuating the cycle of malnutrition across generations (Dini, 2022). Research consistently emphasizes that the first 1,000 days of life—from conception until a child reaches two years of age—represent the most critical period for preventing stunting. During this period, rapid brain growth, organ formation, immune system development, and physical growth occur simultaneously. Nutritional deficiencies during this phase may lead to irreversible developmental damage. If children fail to receive adequate nutrients during this critical window, later interventions may improve some aspects of growth but often cannot fully reverse cognitive or neurological impairments (Suryana, 2021).

Another major form of malnutrition is wasting. Wasting is defined as low body weight relative to height and typically reflects acute malnutrition. Unlike stunting, which develops gradually over time, wasting often occurs rapidly as a result of severe food shortages, infections, or illness. Children experiencing wasting have reduced fat stores and muscle mass, making them physically weak and highly vulnerable to infections (Febrianti et al., 2023). Wasting significantly increases the risk of mortality, particularly among children under five years of age. Children with wasting often experience weakened immune systems, making them more susceptible to respiratory infections, diarrhea, pneumonia, and other communicable diseases. These illnesses further reduce appetite and nutrient absorption, creating a dangerous cycle in which illness worsens malnutrition and malnutrition increases vulnerability to illness. Without timely intervention, severe wasting can become life-threatening.

Micronutrient deficiencies also represent a major nutritional concern in early childhood. Among these, iron deficiency anemia is one of the most common and widespread conditions. Anemia occurs when the body lacks sufficient healthy red blood cells or hemoglobin to transport oxygen effectively to tissues and organs. In young children, iron deficiency can significantly affect brain development and cognitive performance (Sari et al., 2022). Reduced oxygen delivery to the brain may lead to fatigue, irritability, poor concentration, delayed psychomotor development, and reduced learning capacity. Children with anemia often show lower participation in classroom activities, slower language development, and difficulties in memory retention. If untreated, iron deficiency during early childhood may result in long-term cognitive and behavioral challenges. In addition to iron, deficiencies in iodine, zinc, vitamin A, and folate can also negatively affect immunity, growth, and neurological development.

These various forms of malnutrition highlight the urgent need for comprehensive prevention strategies focused on balanced nutrition during early childhood. Preventive efforts must begin as early as pregnancy and continue throughout infancy and preschool years. Effective strategies include maternal nutrition education, exclusive breastfeeding, appropriate complementary feeding, growth monitoring, micronutrient supplementation, sanitation improvement, and family-based nutrition

education. Addressing malnutrition requires collaboration among families, healthcare providers, educational institutions, and government agencies. By ensuring balanced nutritional intake during early childhood, communities can protect children from preventable developmental problems and support the formation of healthier, more productive future generations (Idrus et al., 2025).

2.4 Nutrition and Immune System Development

Balanced nutrition plays a fundamental role in strengthening and maintaining children's immune systems, especially during early childhood, a period in which the body is still developing its natural defense mechanisms. The immune system serves as the body's primary protection against harmful pathogens such as bacteria, viruses, fungi, and parasites, as well as environmental stressors that may threaten health and development. In young children, the immune system is not yet fully mature, making them more vulnerable to infectious diseases and other health complications. Therefore, adequate and balanced nutritional intake is essential to support the formation, regulation, and effectiveness of immune responses (Heryati & Endang, 2025). The immune system depends on a variety of nutrients to function properly. Both macronutrients and micronutrients contribute to the development and maintenance of immune cells, the production of antibodies, and the body's ability to repair damaged tissues after infection or inflammation. When children receive sufficient nutrition from diverse food sources, their immune systems become stronger, enabling them to resist illness more effectively and recover more quickly when they do become sick (Nugroho & Rahayu, 2021).

Vitamins play a critical role in immune defense. Vitamin A, for example, is essential for maintaining the integrity of the skin and mucosal tissues, which act as the body's first line of defense against harmful microorganisms. Healthy skin, respiratory tissues, and digestive tract linings prevent pathogens from entering the body. Vitamin A also supports the development and function of white blood cells, which are responsible for identifying and destroying infectious agents. A deficiency in Vitamin A may weaken immune resistance and increase susceptibility to respiratory infections and gastrointestinal diseases (Fitri et al., 2025). Vitamin C is another important nutrient for immune function. It acts as a powerful antioxidant that protects immune cells from oxidative stress caused by free radicals. In addition, Vitamin C stimulates the production and activity of white blood cells, enhances iron absorption, and supports wound healing. Children who receive adequate Vitamin C from fruits and vegetables tend to have stronger resistance to common infections such as colds and flu.

Vitamin E also contributes significantly to immune health. As an antioxidant, Vitamin E protects cell membranes from oxidative damage and supports the function of immune cells, particularly T-cells, which play an essential role in identifying infected cells and coordinating immune responses. Minerals are equally important in supporting immunity (Yuswatiningsih et al., 2025). Zinc is one of the most essential minerals for immune development and regulation. It supports cell growth, tissue repair, enzyme function, and the production of immune cells. Zinc deficiency can impair immune responses, slow wound healing, and increase the risk of infections such as pneumonia and diarrhea. Selenium also supports antioxidant defense systems and helps regulate inflammation and immune responses. Adequate selenium intake contributes to better resistance against viral and bacterial infections.

Protein is another vital nutrient in immune system development. Protein provides amino acids needed for the synthesis of antibodies, enzymes, hormones, and immune signaling molecules. Antibodies are specialized proteins that identify and neutralize harmful pathogens. Without adequate protein intake, the body may struggle to produce sufficient immune cells and defense proteins, weakening the immune response. Children who consume adequate sources of protein, such as eggs, fish, milk, legumes, and lean meat, generally demonstrate stronger immunity and faster recovery from

illness. Children who receive balanced nutrition are generally healthier, experience fewer illnesses, and recover more quickly from infections. This has important implications not only for physical health but also for educational participation and overall development. Healthy children are more likely to attend school regularly, participate actively in classroom activities, interact positively with peers, and engage in learning experiences without interruptions caused by illness. Consistent school attendance and active participation contribute to better cognitive development, language acquisition, and social-emotional growth (Purnamasari et al., 2024).

In contrast, children who suffer from malnutrition often experience repeated infections, which further worsen their nutritional status. Illnesses such as diarrhea, respiratory infections, and intestinal parasites can reduce appetite, impair nutrient absorption, and increase the body's energy requirements. This creates a dangerous cycle in which poor nutrition weakens the immune system, leading to frequent illness, and illness further contributes to nutritional deficiencies. Over time, this cycle can negatively affect growth, cognitive performance, emotional well-being, and long-term developmental outcomes. Therefore, ensuring balanced nutrition during early childhood is a critical strategy for promoting strong immune function, preventing disease, and supporting healthy growth and learning. Nutrition-based interventions involving families, healthcare providers, and educational institutions are essential to creating supportive environments where children can develop to their fullest potential (Sofia et al., 2023).

2.5 Parental Nutritional Literacy and Feeding Practices

Parents, especially mothers, play a central and irreplaceable role in determining children's nutritional status during early childhood. Since young children depend almost entirely on adults for food selection, meal preparation, and feeding routines, parental knowledge, attitudes, and behaviors significantly influence children's dietary patterns and overall health outcomes. The family environment serves as the first and most influential setting where eating habits, food preferences, and nutritional behaviors are established (Tasrif et al., 2025). Therefore, parents' ability to provide balanced and appropriate nutrition is essential in supporting optimal growth and development during the early years of life. One important concept related to this role is nutritional literacy. Nutritional literacy refers to parents' ability to access, understand, evaluate, and apply nutritional information in everyday feeding practices. This includes understanding food groups, nutrient functions, age-appropriate portion sizes, meal frequency, food safety, and healthy preparation methods. Parents with strong nutritional literacy are generally better equipped to make informed decisions about the foods they provide to their children. They are more likely to offer balanced meals that include vegetables, fruits, protein sources, whole grains, dairy products, and other essential micronutrients required for healthy development (Nurmiaty et al., 2023).

Numerous studies indicate that parental nutritional knowledge significantly influences children's eating habits and nutritional outcomes. Parents who understand the importance of dietary diversity are more likely to expose their children to a variety of healthy foods from an early age (Rohima et al., 2023). This exposure helps children develop positive food preferences and reduces the likelihood of picky eating behaviors. In addition, parents with adequate nutritional knowledge tend to establish regular meal schedules, limit the consumption of processed foods, and encourage healthier snacking habits. However, in many developing regions, including some areas of Indonesia, nutritional literacy among parents remains limited. Many families still misunderstand dietary recommendations, portion sizes, and nutrient balance for young children. Some parents may believe that a child who appears full is automatically receiving adequate nutrition, without considering food quality or nutritional diversity. Others may rely heavily on convenience foods or carbohydrate-dominant diets due to habit, cultural practices, or lack of nutritional education (Muthi'ah & Negara, 2023).

Economic limitations also significantly influence parental food choices. Families with limited financial resources often prioritize food quantity and satiety over nutritional quality. As a result, nutrient-rich foods such as fish, eggs, meat, fruits, and dairy products may be consumed less frequently due to cost concerns (Prima et al., 2021). This situation increases the risk of micronutrient deficiencies and poor growth outcomes in children. Responsive feeding practices are another important aspect of parental caregiving. Responsive feeding involves recognizing children's hunger and fullness cues, encouraging self-feeding, creating positive mealtime interactions, and avoiding force-feeding or punitive feeding behaviors. These practices not only support adequate nutritional intake but also contribute to children's emotional security, independence, and self-regulation. Children who experience supportive feeding environments are more likely to develop healthy eating habits and positive relationships with food (Pratiwi et al., 2025).

Research also shows that parental training programs focusing on practical nutrition education can significantly improve parental knowledge, feeding practices, and children's nutritional status. Such programs help parents make healthier food choices, prepare balanced meals, and establish supportive feeding routines. Therefore, empowering parents through nutrition education remains a crucial strategy in promoting optimal child health and development (Setyowati, 2025).

2.6 The Role of Early Childhood Education Institutions

Early childhood education institutions, such as kindergartens and PAUD centers, play a strategic and highly influential role in promoting balanced nutrition among young children. Since children spend a significant amount of time in educational settings during their formative years, these institutions serve as important environments for shaping lifelong health behaviors, eating patterns, and attitudes toward food. Beyond their academic function, early childhood education centers have the potential to become key agents in supporting children's physical growth, cognitive development, and overall well-being through structured nutrition-related programs and daily healthy practices(Ridwanto et al., 2024).

One of the major contributions of these institutions is providing daily opportunities to establish healthy eating habits and nutritional awareness from an early age. Through consistent exposure to healthy routines, children gradually learn the importance of consuming nutritious foods, practicing hygiene, and maintaining a healthy lifestyle. Schools can integrate nutrition education into classroom learning activities in ways that are engaging, interactive, and developmentally appropriate (Wati et al., 2024). Methods such as storytelling, educational games, food art activities, gardening projects, and meal-sharing programs allow children to learn about food groups, nutrient functions, and healthy food choices in enjoyable and meaningful ways. These activities not only improve nutritional knowledge but also help children develop positive emotional associations with healthy foods.

In addition to educational activities, schools can also contribute to preventive healthcare by monitoring children's growth and nutritional status. Regular measurements of body weight, height, and developmental progress allow teachers and caregivers to identify early signs of nutritional problems such as undernutrition, overweight, or Stunting. Early detection enables timely intervention and referral when needed. However, despite their important role, many early childhood institutions still face challenges in implementing effective nutrition programs. Limited financial resources, inadequate teacher training in nutrition education, insufficient educational materials, and weak coordination with healthcare services often reduce program effectiveness (Windarta, 2021). To address these challenges, the Holistic Integrative Early Childhood Education model has emerged as a comprehensive approach. This model emphasizes the integration of education, nutrition, health services, caregiving, and child protection. Through collaborative partnerships among schools, families,

healthcare professionals, and communities, this model provides a strong framework for meeting children's nutritional needs and supporting their overall development (Zalumin & Fadlan, 2024).

2.7 Community-Based Nutrition Development Programs

To address nutritional challenges effectively, community-based nutrition programs are increasingly recognized as one of the most sustainable and impactful approaches for improving child health outcomes. Nutritional problems in early childhood are often influenced by multiple factors, including family practices, economic conditions, healthcare access, educational support, and community environments. Therefore, effective interventions require collaborative efforts involving schools, families, healthcare professionals, local governments, and community organizations. By building partnerships among these stakeholders, nutrition programs can address both immediate nutritional needs and long-term behavioral changes (Permatasari & Kusumawardani, 2022). One of the core components of community-based nutrition programs is nutrition education for both children and caregivers. For young children, nutritional learning should be delivered through developmentally appropriate, engaging, and enjoyable activities. Educational methods such as storytelling, songs, puppet shows, role-playing, food art, and interactive games help children understand the importance of healthy eating in ways that match their cognitive and emotional development. These activities also encourage curiosity, food acceptance, and positive attitudes toward consuming diverse and nutritious foods (Rohim et al., 2024).

For parents and caregivers, nutrition education should focus on practical knowledge and daily feeding practices. Training programs can include meal preparation techniques, balanced menu planning, responsive feeding strategies, food hygiene, and budget-friendly nutrition management. Parents also benefit from learning how to maximize the nutritional value of locally available food resources. Utilizing local foods such as fish, eggs, legumes, sweet potatoes, bananas, and green leafy vegetables can improve food accessibility, affordability, and sustainability. These foods provide important sources of protein, vitamins, minerals, and fiber needed for healthy child development. Promoting local food consumption not only improves family nutritional practices but also supports local economic development by strengthening community food systems (Wijanarko et al., 2024). In addition, routine growth monitoring through community health services remains essential. Regular assessments of height, weight, and developmental milestones enable early detection of nutritional risks such as Stunting or undernutrition. Healthcare professionals play critical roles in providing micronutrient supplementation, deworming treatment, immunization, health counseling, and medical referrals when necessary, ensuring children receive comprehensive nutritional support (Migang & Manuntung, 2021).

2.8 Multisectoral Collaboration in Nutrition Programs

The complexity of nutritional problems in early childhood requires strong multisectoral collaboration among various stakeholders. Nutritional challenges are influenced not only by food availability but also by education, healthcare access, parenting practices, socioeconomic conditions, and community support systems. Because these factors are interconnected, addressing child nutrition effectively cannot rely on a single institution or sector. Instead, coordinated efforts among government agencies, educational institutions, families, healthcare providers, and community leaders are essential for achieving sustainable improvements in children's nutritional status and overall development (Fauziah, 2023).

Government institutions play a fundamental role in establishing policy direction, allocating funding, developing national nutrition guidelines, and implementing public health programs. Through nutrition campaigns, food supplementation programs, and child health initiatives, governments create

the structural foundation for community nutrition improvement. Educational institutions, particularly early childhood centers, contribute by implementing daily nutrition education, healthy eating routines, and growth monitoring activities (Mayar & Astuti, 2021). Families serve as the primary environment where children's eating habits and nutritional behaviors are formed. Parents provide daily food choices, meal routines, and emotional support during feeding. Healthcare professionals contribute by monitoring growth, identifying nutritional risks, providing supplementation, immunization, and medical referrals when necessary. Community leaders also help mobilize local participation and strengthen program implementation. Research consistently shows that integrated interventions involving all stakeholders are significantly more effective than isolated approaches in improving child nutritional outcomes and preventing conditions such as Stunting (Ayumaharani et al., 2024).

2.9 Preventive and Promotive Approaches

Modern nutrition programs increasingly emphasize preventive and promotive approaches rather than relying solely on treatment after nutritional problems occur. This shift reflects the understanding that early intervention is more effective, sustainable, and economically beneficial in supporting child health and development. Preventive nutrition strategies focus on building healthy habits from the earliest stages of life, including proper feeding practices, balanced dietary intake, regular health monitoring, environmental sanitation, and family empowerment. By addressing risk factors before nutritional problems develop, children have greater opportunities to achieve optimal growth and developmental outcomes (Ma'rifah et al., 2024).

Promotive strategies include nutrition counseling for parents, support for exclusive breastfeeding, education on appropriate complementary feeding, clean and healthy lifestyle campaigns, school-based meal programs, and community nutrition awareness activities. These interventions help families make informed decisions regarding child feeding and health practices. In addition, community participation strengthens program sustainability and social support. Together, these preventive and promotive efforts create healthier nutritional environments that support children's physical, cognitive, and emotional development (Zaroh, 2024).

3. METHODOLOGY

3.1 Research Design

This study employed a qualitative literature review approach to examine the importance of balanced nutrition in early childhood and to formulate a conceptual framework for nutrition development programs. A literature review was chosen because it allows researchers to systematically identify, evaluate, and synthesize findings from previous studies related to balanced nutrition, child development, parental nutritional literacy, and nutrition intervention programs in early childhood settings.

The study adopted a descriptive-analytical design, aiming not only to describe existing evidence but also to critically analyze current challenges, implementation barriers, and effective strategies in balanced nutrition programs for young children. This approach enabled the researcher to generate a comprehensive understanding of how balanced nutrition contributes to children's physical, cognitive, and socio-emotional development, as well as how integrated nutrition programs can be developed within community and educational contexts.

3.2 Participants and Research Context

Since this study was based on a literature review, it did not involve human participants directly. Instead, the "participants" of this research consisted of published academic sources, including peer-

reviewed journal articles, conference proceedings, books, government reports, and institutional publications related to early childhood nutrition and development. The literature included studies focusing on children aged 0–6 years, parents or caregivers, early childhood education institutions, healthcare professionals, and community-based nutrition programs. Sources were selected from both national and international publications to provide broader perspectives on balanced nutrition practices and challenges in early childhood education contexts.

The research context focused on early childhood nutrition development, particularly in educational and family environments. Special attention was given to studies conducted in Indonesia, where nutritional issues such as Stunting, anemia, and undernutrition remain significant public health concerns. However, international studies were also included to enrich the theoretical and practical understanding of effective nutrition interventions.

3.3 Data Collection Methods

Data were collected through a systematic literature search from various academic databases and scholarly sources. The main databases used in this study included Google Scholar, ResearchGate, institutional repositories, and scientific journal databases.

Keywords used during the search process included *balanced nutrition*, *early childhood nutrition*, *stunting prevention*, *parental nutritional literacy*, *nutrition intervention*, *community-based nutrition programs*, and *early childhood education*. These keywords were used individually and in combination to ensure comprehensive coverage of relevant studies.

The inclusion criteria for selecting literature were as follows:

1. Studies published within the last five years, with several foundational references included when relevant.
2. Studies focusing on children aged 0–6 years.
3. Studies discussing balanced nutrition, nutritional interventions, parental involvement, or early childhood development.
4. Sources published in academic journals, books, conference proceedings, or official institutional reports.

The exclusion criteria included:

1. Non-academic articles without clear scientific methodology.
2. Duplicate publications.
3. Studies unrelated to early childhood nutrition or development.

After the selection process, the relevant literature was organized, categorized, and prepared for further analysis.

3.4 Data Analysis Techniques

Data analysis was conducted using thematic analysis. This method was chosen because it allows the identification of recurring patterns, concepts, and themes across different studies. The analysis process consisted of several stages:

a. Data Familiarization
   The researcher carefully read and reviewed all selected literature to gain a comprehensive understanding of the content and findings.
b. Coding Process
   Important concepts, findings, and key information related to balanced nutrition, developmental outcomes, parental roles, institutional support, and intervention programs were highlighted and coded.
c. Theme Development

The coded data were then grouped into broader themes, including the role of nutrition in physical growth, nutrition and cognitive development, the impact of malnutrition in early childhood, parental nutritional literacy, school-based nutrition programs, community-based intervention strategies

d. Interpretation and Synthesis
The identified themes were interpreted and synthesized to build a conceptual framework regarding the importance of balanced nutrition and effective program development strategies in early childhood settings.

This analytical process allowed the researcher to integrate findings from multiple sources and generate evidence-based conclusions.

3.5 Ethical Considerations

Although this study did not involve direct interaction with human participants, ethical principles were still carefully maintained throughout the research process. First, all sources used in this study were properly acknowledged through accurate citation and referencing to respect intellectual property rights and avoid plagiarism. Second, the researcher ensured that all selected literature came from credible, reliable, and academically recognized sources to maintain research integrity and validity. Third, the interpretation of findings was conducted objectively, without manipulating or misrepresenting the original results of previous studies.

Finally, the researcher maintained academic honesty and transparency throughout all stages of the research process, ensuring that the findings and conclusions presented were based solely on evidence gathered from the reviewed literature.

4. FINDINGS

The findings of this literature review indicate that balanced nutrition is a fundamental determinant of optimal early childhood development. Across the reviewed studies, adequate intake of macronutrients and micronutrients consistently supported children's physical growth, brain development, cognitive performance, and immune function. Protein, iron, iodine, zinc, vitamins, and essential fatty acids were identified as the nutrients most strongly associated with children's learning readiness, memory, language development, and overall developmental outcomes. Conversely, nutritional deficiencies during the first 1,000 days of life were consistently associated with stunting, impaired cognitive development, delayed language acquisition, weakened immunity, and lower educational readiness. These findings demonstrate that balanced nutrition is not only essential for physical health but also serves as a foundation for lifelong learning and human development.

The review also revealed that malnutrition remains one of the most significant challenges affecting early childhood development in Indonesia. Stunting, anemia, wasting, and micronutrient deficiencies continue to influence children's physical growth, cognitive functioning, and future productivity. The reviewed literature consistently identified low parental nutritional literacy as one of the primary causes of poor nutritional status. Many parents continue to experience difficulties in planning balanced meals, understanding age-appropriate nutritional requirements, and implementing responsive feeding practices. Economic limitations, cultural dietary habits, and limited access to nutrition education further exacerbate these challenges. These findings suggest that improving parental nutritional literacy is essential for enhancing children's nutritional status.

Another important finding concerns the strategic role of early childhood education institutions in promoting balanced nutrition. The literature indicates that PAUD centers and kindergartens provide valuable opportunities to establish healthy eating habits through nutrition education, meal-

sharing activities, growth monitoring, and health promotion programs. However, many institutions still lack structured and integrated nutrition programs because of limited resources, insufficient teacher preparation, and weak collaboration with healthcare services. Schools that implemented nutrition education together with family involvement reported better nutritional awareness and healthier eating behaviors among children. These findings demonstrate that educational institutions function as important environments for strengthening healthy nutrition practices during early childhood.

The findings further indicate that community-based nutrition development programs are more effective when multiple stakeholders work collaboratively. Successful programs integrate nutrition education, growth monitoring, responsive feeding education, healthcare services, and family participation into comprehensive interventions. Collaboration among parents, teachers, healthcare professionals, community organizations, and government agencies strengthens program sustainability and improves children's nutritional outcomes. Preventive and promotive approaches were consistently reported as more effective than interventions focusing solely on treatment after nutritional problems occur. These integrated strategies support not only nutritional improvement but also children's physical, cognitive, and socio-emotional development. Therefore, multisectoral collaboration emerged as a key component of sustainable balanced nutrition programs for early childhood.

5. DISCUSSION

The findings of this study highlight that balanced nutrition is a fundamental factor in ensuring optimal growth and development during early childhood. The results support previous studies showing that adequate intake of macronutrients and micronutrients significantly contributes to physical growth, cognitive development, and immune system strength. Children who receive sufficient nutrition tend to demonstrate better concentration, language development, memory performance, and school readiness. This confirms that early childhood is a critical period in which nutritional support directly influences lifelong developmental outcomes.

The study also reveals that nutritional challenges, including Stunting and anemia, remain significant issues, particularly in Indonesia. These problems are not solely caused by food insecurity but are also influenced by low parental nutritional literacy, inappropriate feeding practices, and limited access to health education. Parents play a central role in shaping children’s eating habits and nutritional status. Therefore, improving parental knowledge through nutrition education is essential.

Furthermore, early childhood education institutions have the potential to become effective environments for nutrition promotion. However, sustainable results require strong collaboration among schools, families, healthcare professionals, and communities. An integrated, preventive, and community-based approach is necessary to create long-term improvements in children’s nutritional health and developmental outcomes.

6. CONCLUSION

In conclusion, balanced nutrition plays a fundamental role in supporting the optimal growth and development of early childhood. Adequate intake of essential nutrients contributes significantly to children’s physical growth, cognitive development, immune system strength, and overall learning readiness. The findings of this study demonstrate that nutritional deficiencies, including Stunting, anemia, and undernutrition, continue to pose serious challenges to child development, particularly in Indonesia.

This study also highlights that parental nutritional literacy, feeding practices, and environmental support strongly influence children's nutritional outcomes. In addition, early childhood education institutions have an important role in promoting healthy eating behaviors and supporting nutrition education. Therefore, effective nutrition improvement requires integrated collaboration among families, schools, healthcare professionals, and community stakeholders. Through sustainable, preventive, and community-based nutrition development programs, children can achieve their full developmental potential and build a healthier foundation for future life.

7. ACKNOWLEDGMENTS

The author would like to express sincere gratitude to all individuals and institutions who contributed to the completion of this study. Special appreciation is extended to academic supervisors, lecturers, and colleagues for their valuable guidance, constructive feedback, and continuous support throughout the research process.

The author also gratefully acknowledges the support of parents, educators, and early childhood practitioners whose insights and experiences enriched the understanding of balanced nutrition practices in early childhood development.

In addition, sincere thanks are extended to all researchers and authors whose previous studies and scholarly publications served as important references in developing this research.

Finally, the author would like to express deepest gratitude to family members for their encouragement, motivation, and unwavering support during the completion of this study. Without their support, this research would not have been successfully completed.

8. REFERENCES

Anggreni, M. A., Utamayasa, I. G. D., & ... (2022). Menghindari stunting dengan meningkatkan gizi yang seimbang untuk memperdayakan kemandirian kesehatan pada anak usia dini. *Jurnal Pengabdian* …. https://ejournal.sisfokomtek.org/index.php/jpkm/article/download/581/436

Ayumaharani, A. Z., Pratiwi, F., Zaharani, F. K., & ... (2024). POLA ASUH IBU TERKAIT NUTRISI DAN GIZI UNTUK ANAK USIA DINI. *JKKP (Jurnal* …. https://journal.unj.ac.id/unj/index.php/jkkp/article/view/39110

Azizah, A. N. I. (2025a). KESEHATAN DAN GIZI ANAK USIA DINI: TEORI DAN APLIKASI EDISI REVISI. *Penerbit Tahta Media*. http://tahtamedia.co.id/index.php/issj/article/view/1735

Azizah, A. N. I. (2025b). Kesehatan dan Gizi Anak Usia Dini. *Penerbit Tahta Media*. http://tahtamedia.co.id/index.php/issj/article/view/1490

Batuul, K. Al, Basrun, S., Anggraeni, L., & ... (2025). PERAN ORANG TUA DALAM MENINGKATKAN KESEHATAN DAN GIZI ANAK USIA DINI DI RA UMDI AL MAEMUNAH PAREPARE. … *Journal of Health* …. https://e-jurnal.jurnalcenter.com/index.php/ijohap/article/view/1131

Dini, J. (2022). Dampak pandemi covid-19 terhadap status gizi pada anak usia dini. *Jurnal Obsesi: Jurnal Pendidikan Anak Usia Dini*. https://www.academia.edu/download/109501220/pdf.pdf

Faridah, U., Hidayah, N., & Afifah, S. N. (2023). Hubungan Status Gizi Dengan Status Motorik Halus Pada Anak Usia Dini Di Tk 'Aisyiyah Bustanul Athfal Xiii Desa Wates Kecamatan Undaan Kabupaten Kudus. *Jurnal Ilmu Keperawatan Dan* …. https://ejr.umku.ac.id/index.php/jikk/article/view/1582

Fauziah, D. (2023). Penerapan asupan gizi seimbang untuk anak usia dini melalui kegiatan pemberian

makanan tambahan di RA Tunas Harapan Ranca Emas. *Journal of Islamic Early Childhood Education* …. http://journal.iaipibandung.ac.id/index.php/piaudku/article/view/189

Febrianti, R. F., Ramadhani, S. P., Kencana, T., Yusman, R., & ... (2023). PKM penyuluhan kesehatan cuci tangan dan edukasi gizi pada anak usia dini orang tua dan guru. … *Journal: Jurnal Pengabdian* ….

Fitri, S. A., Jhonifer, R., Tushodia, O. V, & ... (2025). Analisis asupan gizi anak usia dini di Paud Sejahtera Bersama Kota Padang. *BEMAS: Jurnal* …. http://jurnal.sttmcileungsi.ac.id/index.php/bemas/article/view/1515

Hambali, H., Rukman, W. Y., Wajdi, M., & ... (2021). Gerakan Isi Piringku Penuhi Gizi Sehat Dan Seimbang Anak Usia Dini Di Desa Tellumpanuae Kabupaten Maros. *Jurnal Abdimas* …. https://dmi-journals.org/jai/article/view/132

Hardiyanti, D. (2022). Peran Guru dalam Pemberian Informasi "Isi Piringku" Tentang Gizi yang Optimal pada Anak Usia Dini Kepada Orangtua di Wilayah Banyumanik. *Manggali*. https://e-journal.ivet.ac.id/index.php/manggali/article/view/2214

Hasibuan, R., Malaikosa, Y. M. L., & ... (2025). Menuju generasi emas: Upaya pencukupan gizi melalui pengetahuan ibu dan pemberian MP-ASI dalam mencegah stunting pada anak usia dini. *Jurnal Mutiara* …. https://jurnalfkip.unram.ac.id/index.php/JMP/article/view/8680

Heryati, D., & Endang, U. (2025). UPAYA KOLABORASI ANTARA GURU DAN ORANG TUA DALAM MENINGKATKAN MUTU NUTRISI DAN GIZI ANAK USIA DINI (PENELITIAN DI KOBER NUR …. *Jurnal Pemikiran Pendidikan Dan* …. https://terranovajournal.com/JPPK/article/view/175

Husnaeni, W. S., Elnawati, E., & ... (2024). Pengaruh Program Isi Piringku Terhadap Status Gizi Anak Usia Dini di Desa Mangkalaya Kecamatan Gunungguruh Kabupaten Sukabumi. *Innovative: Journal Of* …. http://j-innovative.org/index.php/Innovative/article/view/14565

Idrus, K., Asriana, R., & Sage, N. H. (2025). DAMPAK KESEHATAN DAN GIZI YANG BAIK PADA ANAK USIA DINI. *Indonesian Journal of* …. https://e-jurnal.jurnalcenter.com/index.php/ijohap/article/view/1132

Jannah, M. M., Sania, S. N., Wanti, S. A., & ... (2025). IMPLEMENTASI TEOLOGI AL-MA'UN MELALUI EDUKASI GIZI ANAK USIA DINI DI TK AISYIYAH 16. … *Masyarakat LPPM UMJ*. https://jurnal.umj.ac.id/index.php/semnaskat/article/view/29457

Koesmadi, D. P., Kusumastuti, N., Kusuma, W. S., & Mahesti, J. A. (2022). Pentingnya Kesehatan dan Gizi Anak Usia Dini Bagi Guru dan Orangtua Siswa PAUD. *IJCE*. https://scholar.archive.org/work/vzfbdihnlnggtlrtspqipenm7e/access/wayback/http://ejournal.stkipmodernngawi.ac.id/index.php/ijce/article/download/479/244

Kotrunnada, S. A., Afiani, A., & Oktavia, R. B. (2022). Pola pengolahan sayuran dan buah-buahan untuk langkah perbaikan gizi anak usia dini. *Jurdimas (Jurnal Pengabdian* …. https://www.academia.edu/download/100708857/pdf.pdf

Kurniawaty, L. (2022). Literasi gizi: survei pelibatan anak usia dini dalam penyajian makanan di Jakarta Timur. *Jurnal Obsesi: Jurnal Pendidikan Anak Usia Dini*. https://www.academia.edu/download/101552629/3401-14881-2-PB.pdf

Leda, R., Haingu, R. M., Deta, D. S. J., & ... (2022). Peran Orangtua dalam Pemenuhan Gizi Anak Usia Dini yang Berriwayat Stunting di Desa Kalembu Weri Kecamatan Wewewa Barat Kabupaten Sumba Barat Daya. *JIIP-Jurnal Ilmiah* …. http://www.jiip.stkipyapisdompu.ac.id/jiip/index.php/JIIP/article/view/1212

Ma'rifah, N., Afifah, N., & Fransiska, Y. (2024). Mengintegrasikan Gizi Seimbang dalam Kegiatan Cooking Class pada Pembelajaran Anak Usia Dini. *Jurnal Gembira: Pengabdian* …. https://gembirapkm.my.id/index.php/jurnal/article/view/726

Malaikosa, Y. M. L., Hasibuan, R., & ... (2025). Mencegah stunting melalui gizi seimbang dan pangan

lokal berkualitas: Studi kasus anak usia dini. *Jurnal Mutiara* …. https://jurnalfkip.unram.ac.id/index.php/JMP/article/view/8675

Maryumi, M., Wally, A., Hastati, H., Harni, W., Suriyati, S., & ... (2022). Sosialisasi Pentingnya Peran Orang Tua dalam Pemenuhan Gizi pada Anak Usia Dini di TK Terpadu Rejo Sari. *Jurnal Kewarganegaraan*.

Mayar, F., & Astuti, Y. (2021). Peran gizi terhadap pertumbuhan dan perkembangan anak usia dini. *Jurnal Pendidikan Tambusai*.

Migang, Y. W., & Manuntung, A. (2021). Pencegahan Stunting Pada Balita Dengan Membuat Raport Gizi Sebagai Screening Pada Lembaga Pendidikan Anak Usia Dini (Paud). *Jurnal Pengabdian Kesehatan* …. https://ejurnal.ung.ac.id/index.php/jpkm/article/view/10436

Munir, R., Nisa, A. K., Raksi, D., Halipah, H., & ... (2023). Edukasi mengenai gizi seimbang anak usia dini. … *Jurnal Inovasi Dan* …. https://ejournal.baleliterasi.org/index.php/kreasi/article/view/507

Muthi'ah, M., & Negara, T. D. W. (2023). Edukasi penilaian status gizi anak usia dini. … *Anak Usia Dini IAIN* …. https://prosiding.iainponorogo.ac.id/index.php/piaud/article/view/1172

Najla, P. T., Jihad, F. F., Ulfa, M., & ... (2025). Meningkatkan Pengetahuan Gizi Anak Usia Dini Program Edukasi Makanan Sehat dan Bergizi di TK Putra II Calang Kabupaten Aceh Jaya. *JANNAH: Jurnal* …. http://jurnal.mifandimandiri.com/index.php/jannah/article/view/334

Nugroho, B., & Rahayu, S. (2021). Hubungan Pengetahuan Ibu, Pola Asuh, Dan Status Gizi Terhadap Kemampuan Motorik Kasar Anak Usia Dini. *Journal of Sport Science and Fitness*. https://journal.unnes.ac.id/sju/jssf/article/view/44763

Nurhayati, A., Patriasih, R., & ... (2024). Literasi gizi dan pola asuhan milenial: Implikasinya terhadap kejadian stunting pada anak usia dini. *Jurnal* …. https://jurnal.unismuhpalu.ac.id/index.php/JKS/article/view/5162

Nurmadilla, N. (2025). STATUS GIZI ANAK USIA DINI. *Kesehatan Gizi Anak Usia Dini*. https://books.google.com/books?hl=en%5C&lr=%5C&id=a52vEQAAQBAJ%5C&oi=fnd%5C&pg=PA82%5C&dq=gizi+anak+usia+dini%5C&ots=TrUJhBaNmd%5C&sig=aT7s8UPNR1V0RXY7zjlY_Ohspk0

Nurmiaty, S. S. T., Fajrin, D. H., Waluyo, S. K. M. D., & ... (2023). *Kesehatan dan Gizi Anak Usia Dini*. books.google.com. https://books.google.com/books?hl=en%5C&lr=%5C&id=kImREQAAQBAJ%5C&oi=fnd%5C&pg=PA1%5C&dq=gizi+anak+usia+dini%5C&ots=xSii6gZw2T%5C&sig=Yk8hfrtGWSH6H0lVMiEu9ioVd5g

Permatasari, E., & Kusumawardani, D. A. (2022). … Pengetahuan, Sikap, dan Perilaku Ibu dalam Pemenuhan Kebutuhan Dasar Anak terhadap Status Gizi Anak Usia Dini Selama Pandemi COVID-19. *The Indonesian Journal of Health Science*.

Pratiwi, I. D., Purwanto, E., Anggraeni, N. K. P., & ... (2025). Implementasi Program "Bekal Sehat Sekolah" sebagai Upaya Peningkatan Edukasi Gizi pada Anak Usia Dini di TK ABA 37 Malang, Jawa Timur. *Jurnal Abdi* …. http://jamsi.jurnal-id.com/index.php/jamsi/article/view/1936

Prima, E., Masitah, R., & Dewi, N. (2021). Gizi Seimbang Bagi Anak Usia Dini di Taman Kanak-Kanak Angel Hearts Denpasar. *Paradharma: Jurnal Aplikasi IPTEK*.

Purnamasari, Y. M., Jazariyah, J., & Wahyudi, A. V. (2024). Pendampingan Keluarga Sadar Gizi (KADARZI) Untuk Meningkatkan Kualitas Gizi Anak Usia Dini. *Abdimas Galuh*. https://jurnal.unigal.ac.id/abdimasgaluh/article/view/14061

Rafi'y, M., Day, W., & Harahap, D. G. S. (2025). *GIZI \& KESEHATAN ANAK USIA DINI*. repository.penerbitwidina.com. https://repository.penerbitwidina.com/publications/641412/gizi-kesehatan-anak-usia-dini

Ridwanto, M., Purnomo, M., & Aisya, R. W. (2024). Peningkatan Gizi Anak Usia Dini Melalui Kreasi

Menu Isi Piringku. *Jurnal Abdimas Indonesia*. https://ejr.umku.ac.id/index.php/JAI/article/view/2559/0

Rohim, A. N., Mursali, D. A. F., Ashilah, S. H., & Fidrayani, F. (2024). Hubungan Status Gizi terhadap Perkembangan Kognitif Anak Usia Dini. *Madani: Jurnal Ilmiah Multidisiplin*.

Rohima, D. A., Saripudin, A., Nurhayati, E., & ... (2023). Pengaruh pemberian asupan gizi seimbang terhadap perkembangan kognitif anak usia dini. … *Pendidikan Anak*. https://journal1.uinssc.ac.id/index.php/awlady/article/view/14037

Romdhoningsih, D., Sukmawati, S., & ... (2025). Pengabdian kepada masyarakat melalui kegiatan edukasi gizi seimbang untuk anak usia dini. *Journal Of Human And* …. http://jahe.or.id/index.php/jahe/article/view/2151

Samta, S. R., Utami, L., & Mulyani, L. (2024). Korelasi pola asuh orangtua dengan tumbuh kembang gizi anak usia dini. *Sentra Cendekia*. https://e-journal.ivet.ac.id/index.php/Jsc/article/view/3382%250

Sari, H. N., Maryani, K., & Rusdiyani, I. (2022). Pola Asupan Gizi Anak Usia Dini Pada Masa Pandemi COVID-19. … *Pendidikan Anak Usia Dini*. https://ftk.uinbanten.ac.id/journals/index.php/assibyan/article/view/9836

Setyowati, R. I. (2025). STUDI LITERATUR:"PENDEKATAN HOLISTIK DALAM MANAJEMEN PAUD INTEGRASI PENDIDIKAN, KESEHATAN DAN GIZI ANAK USIA DINI." *Consilium: Education and Counseling Journal*. https://unars.ac.id/ojs/index.php/consilium/article/view/7218

Sofia, A., Irzalinda, V., Yulistia, A., & ... (2023). Pelatihan pendampingan orang tua dalam edukasi gizi dan makanan sehat anak usia dini. *INDRA: Jurnal* …. https://jffk.unram.ac.id/index.php/indra/article/view/211

Solihat, S. M., & Yulianty, N. (2025). HUBUNGAN ANTARA BERAT BADAN DAN TINGGI BADAN DENGAN STATUS GIZI ANAK USIA DINI DI PAUD AL-HIDAYAH. … *Jurnal Pendidikan Islam Anak Usia Dini*. https://journal.unugiri.ac.id/index.php/abata/article/view/4103

ST, G. K. S., Setiyani, T., & Keb, S. T. (2025). *Mp-Asi Dan Gizi Anak Usia Dini: Strategi Pencegahan Stunting Dan Wasting*. books.google.com. https://books.google.com/books?hl=en%5C&lr=%5C&id=AyWfEQAAQBAJ%5C&oi=fnd%5C&pg=PR1%5C&dq=gizi+anak+usia+dini%5C&ots=5pwQP0jBky%5C&sig=bxAJoBlKU8hZF5KJwVidyL_DCRA

Suryana, S. (2021). *Kesehatan Gizi Anak Usia Dini*. repository.unar.ac.id. https://repository.unar.ac.id/jspui/bitstream/123456789/5675/1/Full Book Kesehatan Gizi Anak Usia Dini.pdf

Tasrif, N., Nurhasanah, N., Irferamuna, A., Sari, Y. I., & ... (2025). Edukasi Gizi Seimbang bagi Anak Usia Dini melalui Pendekatan Learning by Doing dengan Kegiatan Pembuatan Makanan dan Minuman Sehat. *Jurnal Abdidas*. https://www.abdidas.org/index.php/abdidas/article/view/1167

Tsani, F. A., Dieny, F. F., Purwanti, R., & ... (2022). Penentuan Status Gizi pada Anak Usia Dini di TK Islam Siti Fatimah. *Aksiologiya: Jurnal* …. https://journal.um-surabaya.ac.id/Axiologiya/article/view/4386

Utami, F. B., Hartati, S., & Meilani, R. S. M. (2025). Literasi Kesehatan dan Gizi Anak Usia Dini dalam Sebuah Kajian Filsafat: Early Childhood Health and Nutrition Literacy in a Philosophical Study. … *Journal of Early Childhood* …. https://jurnal.unw.ac.id/index.php/IJEC/article/view/3508

Wahyuseptiana, Y. I., Aje, D. P., & Ayu, S. P. (2024). Edukasi Pemberian Gizi Seimbang Untuk Pencegahan Stunting Pada Anak Usia Dini. *Jurnal Gembira* …. https://gembirapkm.my.id/index.php/jurnal/article/view/438

Wati, F. S., Labibah, A. A., & Khobir, A. (2024). PERAN GURU DALAM MEMBERIKAN ASUP PERAN GURU DALAM MEMBERIKAN ASUPAN GIZI ANAK USIA DINI DI RA MUSLIMAT NU AL USTMANI DESA …. … *Anak Usia Dini*. https://proceeding.uingusdur.ac.id/index.php/sinau/article/view/2206

Widaryanti, R. (2022). Penurunan masalah gizi pada anak usia dini melalui edukasi PMT-AS. *Dinamisia: Jurnal Pengabdian Kepada Masyarakat*. https://www.researchgate.net/profile/Rahayu-Widaryanti-2/publication/364929765_Penurunan_Masalah_Gizi_Pada_Anak_Usia_Dini_Melalui_Edukasi_PMT-AS/links/635ecad58d4484154a4abe34/Penurunan-Masalah-Gizi-Pada-Anak-Usia-Dini-Melalui-Edukasi-PMT-AS.pdf

Wijanarko, T., Amir, F., & Fitri, A. Z. (2024). Optimalisasi edukasi gizi dan intervensi masyarakat untuk cegah stunting anak usia dini. *Journal Central Publisher*. https://centralpublisher.co.id/jurnalcentralpublisher/index.php/Publish/article/view/449

Windarta, L. R. P. (2021). Pendidikan Kesehatan, Gizi dan Perilaku Hidup Bersih dan Sehat Bagi Anak Usia Dini di Masa Pandemi Covid-19. *GENIUS: Indonesian Journal of Early Childhood* ….

Windarti, I., Rudiyanto, W., Setiorini, A., & ... (2025). PENINGKATAN PENGETAHUAN GIZI PADA ANAK USIA DINI MELALUI SOSIALISASI PEDOMAN MAKANAN BERGIZI. *Jurnal Pengabdian* …. http://jss.lppm.unila.ac.id/index.php/ojs/article/view/567

Yuniar, D. P. (2022). *Kesehatan dan Gizi Anak Usia Dini*. books.google.com. https://books.google.com/books?hl=en%5C&lr=%5C&id=aFWeEAAAQBAJ%5C&oi=fnd%5C&pg=PP2%5C&dq=gizi+anak+usia+dini%5C&ots=v07T9qT4YA%5C&sig=a8nvnW1LEbKn28_OP5EcbajviJY

Yuswatiningsih, E., Wibowo, S. A., & ... (2025). OPTIMALISASI PEMENUHAN GIZI ANAK USIA DINI MELALUI EDUKASI GIZI KEPADA IBU DENGAN METODE PARTICIPATORY LEARNING AND ACTION (PLA). *Jurnal* …. https://jurnal.optimaluntuknegeri.com/index.php/pkm-perawat/article/view/184

Zalumin, Z., & Fadlan, F. (2024). Evaluasi Efektivitas Intervensi Gizi dan Kesehatan dalam Penurunan Stunting dan Masalah Gizi pada Anak Usia Dini: Tinjauan Literatur. *Jurnal Teknologi Dan Sains Modern*. https://journal.scitechgrup.com/index.php/jtsm/article/view/160

Zaroh, U. C. (2024). OPTIMALISASI STATUS GIZI ANAK USIA DINI MELALUI PENERAPAN PROGRAM PEMBERIAN MAKANAN TAMBAHAN (PMT) DI DESA DERSALAM. *Al-Abyadh*. https://ojs.diniyah.ac.id/index.php/Al-Abyadh/article/view/1367

Zuhana, N., Fitriyani, F., & Susiatmi, S. A. (2021). Hubungan Pelaksanaan Perilaku Sehat dengan Status Gizi sebagai Upaya Deteksi Masalah Gizi pada Anak Usia Dini. *The 13th University Research Colloqium 2021*.